

## Arctic Climate Science and Policy: Regional and Global Dimensions

**John P. Holdren**

Professor of Environmental Science & Policy  
Kennedy School of Government and Department of Earth & Planetary Sciences  
HARVARD UNIVERSITY

Director Emeritus and Senior Advisor to the Director  
WOODS HOLE RESEARCH CENTER

Director, White House Office of Science & Technology Policy  
(January 2009 – January 2017)

**Keynote Lecture**  
**The Arctic Circle Convening**  
Reykjavik • 13 October 2017

### Coverage of these remarks

- The meaning & magnitude of climate change in the Arctic
- Impacts of climate change in the Arctic
  - within the region
  - beyond the region
- The future of Arctic climate change and its impacts
- Meeting the challenge together
  - needs in monitoring, assessment, & action
  - building on existing efforts

## The meaning & magnitude of climate change in the Arctic

### The relation between climate and weather

- Climate is the pattern exhibited by weather, for a particular geographic region and season...
  - expressed as average values, typical highs and lows, and extremes of...
  - temperature, humidity, rain, snow, and winds,
  - including storminess and lengths of seasons,
  - as observed over a period of decades.
- How climate is changing over time is expressed most simply as the change in year-round average air temperature for a region or for the globe.
- But small changes in that index typically reflect much larger changes in aspects of weather patterns that matter most to humans and ecosystems.

Most importantly, when average temperature changes a little, the frequency & magnitude of extremes (not only of temperature but also of other weather variables) change a lot.

## Climate change globally and in the Arctic


### GLOBALLY

- Annual average surface temperature was about 1.0°C (1.8°F) warmer in 2005-2016 than in 1890-1899.
- Extremely hot days became much more frequent and extremely cold days much less frequent.
- Rain and snow increased on the average, but...
  - Now more comes as rain and less as snow
  - A higher fraction of the rain now comes in extreme downpours
  - Higher losses to evaporation and flood runoff—and earlier snowmelt—mean many regions are drier than before.

### IN THE ARCTIC


- Temperatures have gone up 2-5x the global average
- Change in other climate features has also been rapid.

## Rapid warming of the atmosphere is ongoing globally



## Amplification of T increase in the Arctic

Jan-Mar 2016 L-OTI(°C) Anomaly vs 1951-1980 1.25




NASA

**Impacts of climate change in the Arctic:**  
**Within the region**

## Shrinking sea ice


- Area of Arctic sea ice in late summer is over 40% smaller than in the late 1970s; ice volume is down by even more.
- More open water means increased maritime activity and new fishing and seabed resource development opportunities, with economic benefits but new challenges for oversight, search & rescue, and international interactions.
- Open water instead of ice also means...
  - bigger waves and loss of shoreline protection leading to coastal erosion and damage, even evacuation, for coastal settlements (made worse by sea-level rise);
  - feeding/breeding/survival challenges for seals, walruses, whales, and polar bears, impacting subsistence hunting;
  - more absorption of incident sunlight, thus increased heating and accelerated further temperature increase in the Arctic.

## Arctic sea-ice extent in September, 1979-2017



The recent pace of sea-ice decline is unprecedented over at least the last 500 years. [PNAS, vol. 110, pp 19737-19741, 2013]

## Autumn storms on the NW Alaska coast




Courtesy J. Walsh and W. Chapman, U of Alaska Fairbanks, 2015

## Coastal erosion in Shishmaref, Alaska



Courtesy Gary Braasch


## Walrus haul-out on 8-23-15 near Point Lay, NW Arctic coast of Alaska



## Shrinking land ice

- Most mountain and coastal glaciers across the Arctic are shrinking, which increases river discharge and turbidity, in turn affecting erosion and, potentially, fisheries in the ocean as well as in the rivers. Alaska's glaciers alone are losing 75 gigatons of ice annually.
- The Greenland Ice Sheet is experiencing extensive surface melting in summer, as well as acceleration of the flow of major coastal glaciers to the sea.
  - Water on the surface of the ice increases absorption of sunlight and thus produces further melting.
  - Total loss of ice from Greenland is averaging 250-350 gigatons annually, up 4X in the last 2 decades.

## Decline of glacier mass across the Arctic




AMS, State of the Climate 2016

## Loss of ice from Greenland is accelerating

Land-ice loss from melting & accelerated calving of icebergs raises sea level.

Waleed Abdalati, from GRACE, December 2014





## Thawing permafrost

- A high proportion of land in the Arctic and sub-Arctic is in the permafrost region. (For the state of Alaska, the proportion is 80 percent.)
- As soil temperature rises along with air temperature, the upper layers of permafrost in the warmer regions start to thaw. This is happening over much of the permafrost region.
- Impacts of thawing permafrost include...
  - land subsidence, threatening buildings, roads, and energy infrastructure;
  - increased vulnerability to coastal erosion & wildfires;
  - exposure of previously frozen soil carbon to release as CO<sub>2</sub> and methane.

## Impacts of permafrost thawing



Norwegian Polar Institute, 2009

## Expanding wildfires

- Higher temperatures, drier landscapes, trees killed by insect infestations, and more lightning (all related to climate change) mean more, bigger, hotter wildfires.
- The combined acreage burned in wildfires in 2015 in Siberia, Canada and Alaska by early August was about 13 million ha (31 million acres).
- In Alaska, the annual number of large wildfires has doubled since the 1980s, and the average annual area burned has quadrupled.
- Wildfires destroy infrastructure, timber, and habitat; create massive smoke pollution; directly add large quantities of CO<sub>2</sub> to the atmosphere; expose soil carbon to microbial action (producing more CO<sub>2</sub>); and contribute to permafrost thawing.

## Bogus Creek fire, near Aniak, Alaska, June 2015



Fires are now occurring in the tundra as well in forested regions.

Courtesy of Nicky Sundt, WWFUS. Photo by Matt Snyder, Alaska Division of Forestry.

## Changing ocean chemistry

- In addition to reduced salinity and increased turbidity as a result of increased discharge to the ocean of glacial fresh water, the Arctic Ocean (like the rest of the global ocean) is becoming more acidic.
- Ocean acidification is intensified in the Arctic by the low temperature and low salinity of the ocean there.
- The effects of these changes include...
  - impacts of acidification on marine organisms that make their shells or skeletons with calcium carbonate;
  - interaction of salinity changes with changes in temperature to alter ocean circulation;
  - impacts of all of this together on marine fisheries, with consequences still largely unknown but potentially severe.

**Impacts of climate change in the Arctic:**  
**Beyond the region**

## Wider impacts of Arctic climate change include...


### REGIONALLY

- impacts on human health—as well as on visibility, sun-light reaching ground, and atmospheric heating—from long-distance transport of smoke from Arctic wildfires
- changes in Northern Hemisphere atmospheric circulation patterns (e.g., blocking highs, plus jet-stream slowdown and waviness bringing “polar vortex” phenomena to mid-latitudes) because of faster warming in Arctic

### GLOBALLY

- acceleration of global sea-level rise as glaciers and the Greenland ice sheet lose ice as a result of warming
- increased release of CO<sub>2</sub> & CH<sub>4</sub> from wildfires, microbial action on organic carbon previously frozen in permafrost, and thawing methane hydrates in soils & sediments.

## Smoke from Siberian fires reaches the Northwestern United States, April 2015




<http://earthobservatory.nasa.gov/NaturalHazards/view.php?id=85724>

24

## Impact of Arctic change on mid-latitude weather


**“High confidence” –**  
from observational and modeling studies

Asia: Arctic-Midlatitude Weather Linkages



**“Lesser confidence” –**  
weaker signal-to-noise ratio

North America: Warmer Arctic Temperatures  
Can Reinforce Wavy Jet Stream




Source: J. Overland (NOAA/PMEL) and J. Francis (Rutgers Univ.)

## The future of Arctic climate change and its impacts

## Continued Arctic change absent large global emissions reductions

- Temperature: The most recent IPCC assessment (2013-14) projected that summer temperatures in the Arctic in the last 20 years of this century, under business-as-usual emission growth, would average about 4°C (7°F) higher than the 2005-2015 level.
- Sea ice: Under business-as-usual emissions growth, sea ice in the Arctic ocean in late summer could disappear altogether as early as 2040 and no later than 2100.
- Wildfires: The 2014 U.S. National Climate Assessment projects another doubling in annual area burned in Alaska by mid-century; similar growth in annual area burned is expected across the Arctic under continuing warming.

## Projections for global-average sea-level rise



NOAA OAR CPO-1, December 2012

## **Meeting the Challenge Together: Needs in Monitoring, Assessment, & Action; Building on Existing Efforts**

### **What can we do together?**

#### **MONITORING & ASSESSMENT**

- Collaborate on geographically denser, more comprehensive, more continuous measurement and monitoring of Arctic climate change and its impacts.
- Improve understanding of challenges and opportunities around climate change in the Arctic through data-sharing and cooperative research & assessment on...
  - climatic, ecological, and socio-economic processes shaping climate change in the Arctic, its impacts, and society's responses.
  - improved technologies for energy supply and end-use for reduced emissions and increased efficiency and resilience;



## What can we do together?

### ACTION: MITIGATION

- Recommit not only to meeting the Paris Intended Nationally Determined Contributions for emissions reductions but also to increasing ambition.
- Work together across national, state-provincial, local, & tribal governments, the private sector, academia, and civil society to identify & deploy cleaner, more efficient technologies for energy supply & use.

### ACTION: PREPAREDNESS / RESILIENCE / ADAPTATION

- Work together, similarly, to make available the data, information on best practices, & financing to help communities, businesses, & individuals reduce vulnerability to...
  - Sea-level rise, powerful storms, and coastal erosion
  - Wildfires and thawing permafrost
  - Declines in commercial & subsistence species

## What can we do together?

### BUILDING ON EXISTING EFFORTS

- Advance the activities of the Arctic Council...
  - including its recent Agreement on International Cooperation in Scientific Research; and
  - the “Exploring Common Solutions” theme of Finland’s chairmanship (2017-19)
- Regularize wider meetings of foreign ministers on the Arctic (GLACIER)
- Continue the Arctic science ministerials
  - 1<sup>st</sup>, Washington DC, September 2016 (25 nations, 6 indigenous groups)
  - 2<sup>nd</sup>, Germany, October 2018 (co-hosted by Germany, Finland, EU)
- Strengthen national governmental coordination of Arctic activities
  - U.S. examples: the Arctic Executive Steering Committee, the Arctic Research Commission, the Interagency Arctic Research Policy Committee
- Strengthen, proliferate, & link academic/civil-society initiatives



## What can we do together? (continued)

### ACADEMIC/CIVIL-SOCIETY INITIATIVES: U.S. EXAMPLES

- The Polar Initiative at the Wilson Center in Washington DC  
<https://www.wilsoncenter.org/program/polar-initiative>
- The Arctic Program of the Fletcher School of Law & Diplomacy, Tufts U  
<http://fletcher.tufts.edu/FletcherArctic/Arctic-Fletcher>
- The new Harvard Kennedy School Arctic Initiative
  - Led by John Holdren, Henry Lee, and Halla Logadottir at the Belfer Center for Science and International Affairs;
  - focused on the challenges & opportunities at the intersection of Arctic climate change with sustainable economic development, infrastructure, environmental conservation, and indigenous peoples' issues;
  - and on training a new generation of Arctic leaders (represented here by the Arctic Innovators Lab);
  - in collaboration with other Arctic initiatives in the USA and around the world.

**Thank you!**